

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : Low Corrosion Fine Point Paint Marker

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : Marking.

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Distributor**

North America:

LA-CO Industries, Inc.  
1201 Pratt Boulevard  
Elk Grove Village, IL. 60007-5746  
Phone: (847) 956-7600  
Fax: (847) 956-9885  
E-mail: customer\_service@laco.com

Europe:

LA-CO Industries Europe S.A.S.  
Parc Industriel de la Plaine de  
l'Ain - Allée des Combes.  
01150.BLYES.France.  
Phone: +33 (0)4 74 46 23 23  
Fax: +33 (0)4 74 46 23 29  
E-mail: info@eu.laco.com  
Web: http://www.markal.com

**1.4. Emergency telephone number**

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

EU Member State	Officieel adviesorgaan	Adres	Noodnummer
AUSTRIA	Vergiftungsinformationszentrale (Poisons Information Centre)	Allgemeines Krankenhaus Waehringer Geurtel 18-20 1090 Wien	+43 1 406 43 43
BELARUS	The Belarus Republican Poisons Centre	Kizhevatova str. 58 Minsk 220115	+375 (0)17 201 9158
BELGIUM	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 B -1120 Bruxelles/Brussel	+32 70 245 245
BULGARIA	Национален токсикологичен информационен център National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov"	21 Totleben Boulevard 1606 SOFIA	+359 2 9154 409
CROATIA	Poisons Control Centre Institute of Medical Research & Occupational Health	Ksaverska Cesta 2 P.O. Box 291 HR-10000 Zagreb	+385 1 234 8342
CZECH REPUBLIC	Toxikologické informační středisko Clinic For Occupational Medicine, 1st Medical Faculty, Charles University	Na Bojišti 1 120 00 Praha 2	+42 2 2491 9293 +42 2 2491 5402
DENMARK	Gifflinjen Bispebjerg Hospital	Bispebjerg Bakke 23, 60, 1 DK-2400 København NV	+45 82 12 12 12 +45 35 31 55 55
ESTONIA	Mürgistusteabekeskus	Gonsiori 29 15027 Tallinn	+372 626 93 90
FINLAND	Myrkytystietokeskus	P.O.B 340 (Haartmaninkatu 4) HUS SF - 00029 Helsinki	+358 9 471 977
FRANCE	ORFILA		+33 1 45 42 59 59
GERMANY	Berliner Betrieb für Zentrale Gesundheitliche Aufgaben	Oranienburger Strasse 285 13437 Berlin	+49 30 19240

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

GERMANY	Informations und Beratungszentrum für Vergiftungsfälle	Kirrberger Straße, Gebäude 9 D-66421 Homburg/Saar	+49 6841 19240
GERMANY	Beratungstelle bei Vergiftungen, Klinische Toxikologie und Beratungsstelle bei Vergiftungen	Langenbeckstrasse 1 55131 Mainz	+49 6131 19240
GREECE	Poisons Information Centre	11527 Athens	+30 10 779 3777
HUNGARY	Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service)	1437 Budapest PO Box 839 1097 Budapest, Nagyvárad tér 2	+36 80 20 11 99
ICELAND	Eitrunarmiðstöðin	Eitrunarmiðstöðin 108 Reykjavik	+354 543 22 22
IRELAND	National Poisons Information Centre	Beaumont Hospital PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2166
LATVIA	Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs	2 Hipocrate Street LV 1038 Riga	+371 67 04 24 73
LITHUANIA	Apsinuodijimų kontrolės ir informacijos biuras	Siltnamiu 29 2043 Vilnius	+370 5 236 20 52/+370 687 53 378
MALTA	Medicines & Poisons Info Office	Mater Dei Hospital, Msida MSD 2090 Malta	25450000
NETHERLANDS	Nationaal Vergiftigingen Informatie Centrum National Institute for Public Health and the Environment, NB this service is only available to health professionals	Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht	+31 30 274 88 88
PORTUGAL	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica (INEM)	Rua Almirante Barroso, 36 1000-013 Lisboa	808 250 143 (for use only in Portugal), +351 21 330 3284
ROMANIA	Biroul pentru Regulamentul Sanitar International si Informare Toxicologica	Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 50463 Bucuresti	+40 21 318 36 06
SLOVAKIA	Národné toxikologické informačné centrum University Hospital Bratislava	Limbová 5 833 05 Bratislava	+421 2 54 77 4 166
SPAIN	Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid	Calle Luis Cabrera 9 E-28002 Madrid	+34 91 562 04 20
SWEDEN	Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital	Box 60 500 SE-171 76 Stockholm	+46 8 33 12 31 (International) 112 (National)
SWITZERLAND	Centre Suisse d'Information Toxicologique	Freiestrasse 16 Postfach CH-8028 Zurich	+41 44 251 51 51 (International) 145 (National)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226  
Serious eye damage/eye irritation, Category 2 H319  
Reproductive toxicity, Category 1B H360D  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger  
Hazardous ingredients : 1-Methoxy-2-propanol, N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone  
Hazard statements (CLP) : H226 - Flammable liquid and vapour.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

### Precautionary statements (CLP)

H360D - May damage the unborn child.

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof equipment.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P312 - Call a POISON CENTRE or doctor if you feel unwell.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Methoxy-2-propanol	(CAS-No.) 107-98-2 (EC-No.) 203-539-1 (EC Index-No.) 603-064-00-3	45	Flam. Liq. 3, H226 STOT SE 3, H336
diacetone alcohol	(CAS-No.) 123-42-2 (EC-No.) 204-626-7 (EC Index-No.) 603-016-00-1	>=30	Eye Irrit. 2, H319
Colorant		15	Not classified
N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone substance listed as REACH Candidate (1-Methyl-2-pyrrolidone)	(CAS-No.) 872-50-4 (EC-No.) 212-828-1 (EC Index-No.) 606-021-00-7	3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 1B, H360D STOT SE 3, H335

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
diacetone alcohol	(CAS-No.) 123-42-2 (EC-No.) 204-626-7 (EC Index-No.) 603-016-00-1	(C >= 10) Eye Irrit. 2, H319
N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone	(CAS-No.) 872-50-4 (EC-No.) 212-828-1 (EC Index-No.) 606-021-00-7	(C >= 10) STOT SE 3, H335

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes serious eye irritation. May cause drowsiness or dizziness. May damage fertility or the unborn child.

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : None under normal use.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : None under normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : Flammable vapours heavier than air/can accumulate.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Incompatible products : Strong oxidizers.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

1-Methoxy-2-propanol (107-98-2)		
EU	Local name	1-Methoxypropanol-2
EU	IOELV TWA (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	150 ppm
EU	Notes	Skin
Austria	MAK (mg/m <sup>3</sup> )	187 mg/m <sup>3</sup>
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	187 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	50 ppm
Austria	Remark (AT)	(gemessen als Momentanwert), (H)
Belgium	Limit value (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	100 ppm
Belgium	Short time value (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Belgium	Short time value (ppm)	150 ppm
Belgium	Remark (BE)	D
Czech Republic	Local name	1-Methoxy-2-propanol
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	73.17 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	550 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	149.05 ppm
Czech Republic	Remark (CZ)	D
Denmark	Local name	1-Methoxy-2-propanol (Propylenglycolmonomethylether)
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	185 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	50 ppm
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	370 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (ppm)	100 ppm
Denmark	Anmærkninger (DK)	E (betyder, at stoffet har en EF-grænseværdi)
Finland	Local name	1-Metoksi-2-propanoli
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	370 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	100 ppm
Finland	HTP-arvo (15 min)	560 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	150 ppm
Finland	Huomautus (FI)	iho
France	Local name	Ether méthylique du propylène-glycol (1-Méthoxy-2-propanol)
France	VME (mg/m <sup>3</sup> )	188 mg/m <sup>3</sup>
France	VME (ppm)	50 ppm
France	VLE (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
France	VLE (ppm)	100 ppm
France	Note (FR)	Peau
Germany	Local name	1-Methoxy-2-propanol
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	370 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	100 ppm
Germany	TRGS 900 Limitation of exposure peaks (mg/m <sup>3</sup> )	740 mg/m <sup>3</sup>
Germany	TRGS 900 Limitation of exposure peaks (ppm)	200 ppm
Germany	Remark (TRGS 900)	DFG,EU,Y
Hungary	Local name	1-METOXIPROPÁN-2-OL
Hungary	AK-érték	375 mg/m <sup>3</sup>
Hungary	CK-érték	568 mg/m <sup>3</sup>
Hungary	Megjegyzések (HU)	b; EU1
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

1-Methoxy-2-propanol (107-98-2)		
Ireland	OEL (8 hours ref) (ppm)	100 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (ppm)	150 ppm
Italy	Local name	Metossipropanolo-2,1-
Italy	OEL TWA (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Italy	OEL TWA (ppm)	100 ppm
Italy	OEL STEL (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Italy	OEL STEL (ppm)	150 ppm
Latvia	Local name	1-Metoksi-2-propanols (propilēnglikola monometilēteris, monopropilēnglikolmetilēteris)
Latvia	OEL TWA (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Latvia	OEL TWA (ppm)	100 ppm
Latvia	OEL STEL (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Latvia	OEL STEL (ppm)	150 ppm
Lithuania	IPRV (mg/m <sup>3</sup> )	190 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	75 ppm
Netherlands	Local name	1-Methoxy-2-propanol
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	563 mg/m <sup>3</sup>
Netherlands	Remark (MAC)	(H)
Poland	Local name	1-Metoksypropan-2-ol
Poland	NDS (mg/m <sup>3</sup> )	180 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	360 mg/m <sup>3</sup>
Portugal	Local name	1-Metoxi-2-propanol (PGME)
Portugal	OEL TWA (ppm)	50 ppm
Portugal	OEL STEL (ppm)	100 ppm
Slovakia	Local name	1-Metoxipropan-2-ol (propylēnglykolmonometylēter)
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Slovakia	OEL STEL (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Slovakia	OEL STEL (ppm)	150 ppm
Slovakia	Upozornenie (SK)	(K)
Slovenia	Local name	1-metoksi-2-propanol (propilēnglikolmonometil eter)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	100 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	562.5 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	150 ppm
Spain	Local name	1-Metoxipropan-2-ol (Éter 1-metilico de propilenglicol)
Spain	VLA-ED (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	100 ppm
Spain	VLA-EC (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Spain	VLA-EC (ppm)	150 ppm
Spain	Notes	vía dérmica,VLI
Sweden	Local name	1-Metoxi-2-propanol
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	190 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	75 ppm

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>1-Methoxy-2-propanol (107-98-2)</b>		
Sweden	Anmärkning (SE)	H
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	150 ppm
Norway	Local name	1-metoksy-2-propanol (Propylenglykolmonometyleter)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	180 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	50 ppm
Norway	Merknader (NO)	H
Switzerland	VME (mg/m <sup>3</sup> )	360 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	100 ppm 20 ppm (urina; fine dell'esposizione / del turno)
Switzerland	KZGW (mg/m <sup>3</sup> )	720 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	200 ppm
<b>N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)</b>		
EU	Local name	n-Methyl-2-pyrrolidone
EU	IOELV TWA (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	20 ppm
EU	Notes	skin
Denmark	Local name	N-Methyl-2-pyrrolidon
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	5 ppm
Finland	Local name	N-Metyylipyrrolidoni
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	10 ppm
Finland	HTP-arvo (15 min)	80 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	20 ppm
Finland	Huomautus (FI)	iho
France	Local name	N-méthyl-2-pyrrolidone
France	VME (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
France	VME (ppm)	10 ppm
France	VLE (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
France	VLE (ppm)	20 ppm
France	Note (FR)	Valeurs réglementaires indicatives; risque de pénétration percutanée; substance classée toxique pour la reproduction de catégorie 1b
Germany	Local name	N-Methyl-2-pyrrolidon (Dampf)
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	82 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	20 ppm
Germany	Remark (TRGS 900)	EU,DFG,AGS,H, Y,11,19
Hungary	Local name	N-METIL-2-PIRROLIDON
Hungary	AK-érték	40 mg/m <sup>3</sup>
Hungary	CK-érték	80 mg/m <sup>3</sup>
Hungary	Megjegyzések (HU)	b; EU4
Italy	Local name	n-metil-2-pirrolidone
Italy	OEL TWA (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Italy	OEL TWA (ppm)	10 ppm
Italy	OEL STEL (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Italy	OEL STEL (ppm)	20 ppm
Latvia	Local name	1-metil-2-pirolidīnons (N-metil-2-pirolidons)

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)		
Latvia	OEL TWA (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Latvia	OEL TWA (ppm)	10 ppm
Latvia	OEL STEL (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Latvia	OEL STEL (ppm)	20 ppm
Netherlands	Local name	N-Methyl-2-pyrrolidon
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Netherlands	Remark (MAC)	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een Haanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Poland	Local name	1-Metylo-2-pirolidon
Poland	NDS (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Slovakia	Local name	N-Metyl-2-pyrolidon
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	10 ppm
Slovakia	OEL STEL (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Slovakia	OEL STEL (ppm)	20 ppm
Slovakia	Upozornenie (SK)	K - znamená, že faktor môže byť ľahko absorbovaný kožou
Slovenia	Local name	N-metil-2-pirolidon (pare)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	10 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	20 ppm
Spain	Local name	N-Metil-2-pirrolidona
Spain	VLA-ED (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	10 ppm
Spain	VLA-EC (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Spain	VLA-EC (ppm)	20 ppm
Spain	Notes	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante. Para más información véase el Apartado 5 de este documento), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país), TR1B (Cuando las pruebas utilizadas para la clasificación procedan principalmente de datos en animales).
Sweden	Local name	N-Metyl-2-pyrrolidon
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup> 40 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	10 ppm 10 ppm



# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)</b>		
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup> 80 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	20 ppm 20 ppm
Sweden	Anmärkning (SE)	H (Ämnet kan lätt upptas genom huden Det föreskrivna gränsvärdet bedöms ge tillräckligt skydd endast under förutsättning att huden är skyddad mot exponering för ämnet ifråga); R (Ämnet är reproduktionsstörande Med reproduktionsstörande ämnen avses ämnen som kan medföra skadliga effekter på fortplantningsförmågan eller avkommans utveckling. Se även föreskrifterna om kemiska arbetsmiljörisker och om gravida och ammande arbetstagare)
Norway	Local name	N-metyl-2-pyrrolidon
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	5 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Norway	Grenseverdier (Korttidsverdi) (ppm)	20 ppm
Norway	Merknader (NO)	H (Kjemikalier som kan tas opp gjennom huden); R (Kjemikalier som skal betraktes som reproduksjonstoksiske); E (EU har en veiledende grenseverdi for stoffet); S (Korttidsverdi er en verdi for gjennomsnittskonsentrasjonen av et kjemisk stoff i pustesonen til en arbeidstaker som ikke skal overskrides i en fastsatt referanseperiode. Referanseperioden er 15 minutter hvis ikke annet er oppgitt)
<b>diacetone alcohol (123-42-2)</b>		
Czech Republic	Local name	Diacetonalkohol
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	40 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	60 ppm
Czech Republic	Remark (CZ)	I
Denmark	Local name	Diacetonealkohol (4-Hydroxy-4-methyl-2-pentanon)
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	50 ppm
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	480 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (ppm)	100 ppm
Finland	Local name	Diasetonialkoholi
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	50 ppm
Finland	HTP-arvo (15 min)	360 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	75 ppm
France	Local name	Diacétone-alcool
France	VME (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
France	VME (ppm)	50 ppm
France	Note (FR)	Valeurs recommandées/admises
Germany	Local name	4-Hydroxy-4-methyl-pentan-2-on
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	20 ppm
Germany	TRGS 900 Limitation of exposure peaks (mg/m <sup>3</sup> )	192 mg/m <sup>3</sup>
Germany	TRGS 900 Limitation of exposure peaks (ppm)	40 ppm
Germany	Remark (TRGS 900)	DFG,H

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

diacetone alcohol (123-42-2)		
Poland	Local name	4-Hydroksy-4-metylopentan-2-on (alkohol diacetonowy)
Poland	NDS (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
Portugal	Local name	Álcool diacetónico (4-hidroxi-4-metil-2-pentanona)
Portugal	OEL TWA (ppm)	50 ppm
Slovenia	Local name	4-hidroksi-4-metilpentan-2-on (diacetonalkohol)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	50 ppm
Spain	Local name	Diacetona alcohol
Spain	VLA-ED (mg/m <sup>3</sup> )	241 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	50 ppm
Sweden	Local name	Diacetonalkohol
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	120 mg/m <sup>3</sup> 120 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	25 ppm 25 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup> 240 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	50 ppm 50 ppm
Sweden	Anmärkning (SE)	V (Vägledande kortidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Norway	Local name	4-hydroksy-4-metyl-2-pentanon (Diacetonalkohol)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	120 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	25 ppm

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves. nitrile rubber gloves. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed.

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

No respiratory protection needed under normal use conditions

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Solid marker containing liquid colored paint.
Colour	: Various.
Odour	: alcohol odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: 1.3
Melting point	: Not applicable

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: 97.2 °C
Flash point	: 42 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 20.8 mm Hg
Relative vapour density at 20 °C	: > 1
Relative density	: < 1
Solubility	: Water: 70 - 80 %
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1.9 vol % 12.3 vol %

### 9.2. Other information

VOC content : 77.5 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

1-Methoxy-2-propanol (107-98-2)	
LD50 oral rat	4016 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (ppm)	> 7000 ppm 6 hr
N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)	
LD50 oral rat	4150 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5.1 mg/l/4h
diacetone alcohol (123-42-2)	
LD50 oral rat	4000 mg/kg
LD50 dermal rabbit	13630 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: May damage the unborn child.

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>STOT-single exposure</b>	: May cause drowsiness or dizziness.
<b>STOT-repeated exposure</b>	: Not classified
<b>Aspiration hazard</b>	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

<b>1-Methoxy-2-propanol (107-98-2)</b>	
LC50 fish 1	20800 mg/l
EC50 Daphnia 1	23300 mg/l
ErC50 (algae)	> 1000 mg/l

<b>N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)</b>	
LC50 fish 1	> 500 mg/l
NOEC (acute)	495 mg/l

<b>diacetone alcohol (123-42-2)</b>	
LC50 fish 1	420 mg/l 96 h
EC50 Daphnia 1	9000 mg/l 24 h

#### 12.2. Persistence and degradability

<b>Low Corrosion Fine Point Paint Marker</b>	
Persistence and degradability	Not established.

<b>1-Methoxy-2-propanol (107-98-2)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	96 % 28 d

<b>N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)</b>	
Persistence and degradability	Readily biodegradable.

<b>diacetone alcohol (123-42-2)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 % 14 d

#### 12.3. Bioaccumulative potential

<b>Low Corrosion Fine Point Paint Marker</b>	
Bioaccumulative potential	Not established.

<b>1-Methoxy-2-propanol (107-98-2)</b>	
Bioaccumulative potential	Not expected to bioaccumulate.

<b>N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)</b>	
Bioaccumulative potential	Not expected to bioaccumulate.

<b>diacetone alcohol (123-42-2)</b>	
Log Pow	1.03

#### 12.4. Mobility in soil

<b>Low Corrosion Fine Point Paint Marker</b>	
Mobility in soil	Not established

#### 12.5. Results of PBT and vPvB assessment

Component	
N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone (872-50-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Other adverse effects : None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Additional information : Flammable vapours may accumulate in the container.

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1263  
UN-No. (IMDG) : 1263  
UN-No. (IATA) : 1263  
UN-No. (ADN) : 1263  
UN-No. (RID) : 1263

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PAINT  
Proper Shipping Name (IMDG) : PAINT  
Proper Shipping Name (IATA) : PAINT  
Proper Shipping Name (ADN) : PAINT  
Proper Shipping Name (RID) : PAINT  
Transport document description (ADR) : UN 1263 PAINT, 3, III, (D/E)  
Transport document description (IMDG) : UN 1263 PAINT, 3, III  
Transport document description (IATA) : UN 1263 PAINT, 3, III  
Transport document description (ADN) : UN 1263 PAINT, 3, III  
Transport document description (RID) : UN 1263 PAINT, 3, III

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3



##### IMDG

Transport hazard class(es) (IMDG) : 3  
Danger labels (IMDG) : 3



##### IATA

Transport hazard class(es) (IATA) : 3  
Hazard labels (IATA) : 3



##### ADN

Transport hazard class(es) (ADN) : 3  
Danger labels (ADN) : 3

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830



### RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1

Hazard identification number (Kemler No.) : 30

Orange plates :



Tunnel restriction code (ADR) : D/E

EAC code : •3YE

#### - Transport by sea

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-E

Stowage category (IMDG) : A

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

#### - Air transport

Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

#### - Inland waterway transport

Classification code (ADN) : F1

#### - Rail transport

Classification code (RID) : F1

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	1-Methoxy-2-propanol - N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone - diacetone alcohol
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Low Corrosion Fine Point Paint Marker - 1-Methoxy-2-propanol
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Low Corrosion Fine Point Paint Marker - N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone - diacetone alcohol
30. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Toxic to Reproduction category 1A or 1B (Table 3.1) or Toxic to Reproduction category 1 or 2 (Table 3.2) and listed as follows: Reproductive toxicant category 1A adverse effects on sexual function and fertility or on development (Table 3.1) or Reproductive toxicant category 1 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 5 Reproductive toxicant category 1B adverse effects on sexual function and fertility or on development (Table 3.1) or Reproductive toxicant category 2 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 6	N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	1-Methoxy-2-propanol

Contains substance on the REACH candidate list in concentration  $\geq 0.1\%$  or with a lower specific limit: 1-Methyl-2-pyrrolidone (EC 212-828-1, CAS 872-50-4)

Contains no REACH Annex XIV substances

VOC content : 77.5 %

### 15.1.2. National regulations

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : N-methyl-2-pyrrolidone, 1-methyl-2-pyrrolidone is listed

#### Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H319;H336;H360D>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

# Low Corrosion Fine Point Paint Marker

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 16: Other information

Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	LC50: Median lethal concentration
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

Data sources : ACGIH (American Conference of Government Industrial Hygienists).  
Chemical Inspection & Regulation Service; accessed at: [http://www.cirs-reach.com/Inventory/Global\\_Chemical\\_Inventories.html](http://www.cirs-reach.com/Inventory/Global_Chemical_Inventories.html).  
Component Supplier SDSs.  
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.  
European Chemicals Agency (ECHA) Registered Substances list.  
Internal Company test data.  
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.  
OSHA 29CFR 1910.1200 Hazard Communication Standard.  
TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H360D	May damage the unborn child.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 1B	H360D	Calculation method
STOT SE 3	H336	Calculation method

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43017  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*